Clinical Pearl: Humate-P

- Combined Von Willebrand Factor and Factor VIII complex
- Von Willebrand Disease (VWD)
 - Deficiency or missing the clotting protein von Willebrand factor (VWF)
- Hemophilia A
 - Deficiency in Factor VIII
- Each vial of Humate-P contains units of **BOTH**:
 - 1. von Willebrand factor:Ristocetin cofactor (VWF:RCo)
 - 2. Factor VIII
- Knowing which component to dose with is critical!

Dosing Humate-P:

- VWD→use VWF:RCo component
- Hemophilia→ use Factor
 VIII component

NDC 63833-615-02 One Vial and Sterile Water for Injection, USP		CSL Behr 35041 Ma US Licens Distribute CSL Behr	Manufactured by: CSL Behring GmbH 35041 Marburg, Germany US License No. 1765 Distributed by: CSL Behring LLC Kankakee, IL 60901 USA		
	VWF:RCo	449	IU/vial		
	FVIII	238	IU/vial		
	EXP:	MAY. 08,2021			
(01)00363833615026	LOT:	B5866811A			
Storage: When stored at tem is stable for 36 months up to Do not freeze.			R only		

How it looks in Epic:

Von Willebrand Disease (VWF:RCo units) ERX: 70404

8		Order and Order Set Search
HUMATE P	<mark>.</mark>	
E Order Se	ets & Panels (No results found)	
🖻 Medicat	ions *	
	Name	
a 🖓	antihemophilic factor-VWF dosing (HUMATE-P) injection	
a 🖓	antihemophilic factor VIII dosing, 500 units-wvf (HUMATE-P) injection	
a 🖓	antihemophilic factor VIII dosing, 1000 units-vwf (HUMATE-P) injection	

antihemophilic	factor-VWF (HUMATE-P) 250-600 unit injection 2,050 VWF:RCo Units	✓ <u>A</u> ccept	🗙 <u>C</u> ancel
Reference Links:	1. Lexi-Comp 2. Neofax 3. Micromedex Pediatrics		^
Dose:	2,050 VWF:RCo Units 🔎 20 VWF:RCo Units/kg 40 VWF:RCo Units/kg 60 VWF:RCo Units/kg		
	Administer Dose: 2,050 VWF:RCo Units Administer Amount: 2,050 Units		
Route:	Intravenous P Intravenous		
Frequency:	Every 8 hours Once Q8H Q12H Q24H		
	For: Doses Hours Days		
	Starting: 10/19/2021 ☐ Today Tomorrow At: 1730 ④ Show Additional Options ≫		
	First Dose: Today 1730 Until Discontinued		

How it looks in Epic:

Hemophilia (Factor VIII units) ERX: 70405 or 70406

≋			Order and Order Set Search
HUMATE	-	<mark>.</mark>	
티 Ord	er Se	ts & Panels (No results found)	
🖻 Mec	dicati	ons 🕅	
		Name	
R	0	antihemophilic factor VIII dosing, 1000 units-vwf (HUMATE-P) injection	
2	0	antihemophilic factor VIII dosing, 500 units-wvf (HUMATE-P) injection	
2		antihemophilic factor-VWF dosing (HUMATE-P) injection	

antihemophilic factor-vWF (HUMATE-P) 1,000-2,400 unit injection 5,584 Units					X Cano	el
	Reference .inks:	1. Lexi-Comp 2. Neofax 3. Micromedex Pediatrics				^
[Dose:	5,584 Units 🔎 20 Units/kg 40 Units/kg 60 Units/kg				
		Administer Dose:5,584 UnitsAdminister Amount:5,584 Units				
F	Route:	Intravenous P Intravenous				
F	requency:	Every 8 hours $ ho$ Once Q8H Q12H Q24H				
		For: Doses Hours Days				
		Starting: 10/19/2021 Today Tomorrow At: 1730 O Show Additional Options	\$			
		First Dose: Today 1730 Until Discontinued				

Please remember to look in the refrigerated carousel section AND the refrigerator in the back by purchasing

